



TEST REPORT

Applicant : AAB Co., Limited
Address : 3/F, Jin Xi B/D, No.1030, Kang Wang Bei Lu, Li Wan Dist,
Guangzhou, 510170 China

Page: 1 of 3

Report No. RT10G-S0005-003-E1-R

Date: Jan. 25, 2010

Sample Description : The following submitted sample(s) said to be:-

Name/Type of Product : 316L Stainless steel 8mm Ball
Name of Material : STAINLESS STEEL
Sample ID No. : RT10G-S0005-003
Item No. : JBL2S01
Manufacturer/Vender : AAB Co., Limited
Country of Origin : KOREA

Sample received : Jan. 13, 2010
Testing Date : Jan. 13, 2010 ~ Jan. 22, 2010
Testing Laboratory : Intertek Testing Center
Testing Environment : Temperature : (24 ± 2) °C, Humidity : (60 ± 5) % R.H.

Test Method(s) : Please see the following page(s).
Test Result(s) : Please see the following page(s).

* Note 1 : The test results presented in this report relate only to the object tested.

* Note 2 : This report shall not be reproduced except in full without the written approval of the testing laboratory.

* Note 3 : The item no. is assigned by client and indicated according to their requirement and guarantee letter.

Approved by,

Jade Jang / Lab. Technical Manager

Authorized by,

Bo Park / Lab. General Manager

This Test Report is issued by the Company subject to its Terms and Conditions of Business printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. This Test Report shall not be reproduced, except in full, without prior written consent of the Company.

Intertek Testing Center

Seoul Office : Tel : 02-2109-1250 Fax : 02-2109-1259 Gumi Office : Tel : 054-462-7647 Fax : 054-462-7657 Web Site : www.intertek.co.kr
Seoul Lab. : #709, 7Fl, Ace Techno Tower V, 197-22, Guro-3Dong, Guro-Gu, Seoul 152-766 Korea Tel : 02-2109-1260 Fax : 02-2109-1258
Ulsan Lab. : #340-2, Yongam-Ri, Chongryang-Myun, Ulju-Gun, Ulsan 689-865 Korea Tel : 052-257-6754 Fax : 052-276-6792

TEST REPORT

Page: 2 of 3
Date: Jan. 25, 2010

Report No. RT10G-S0005-003-E1-R

Sample ID No. : RT10G-S0005-003
Sample Description : 316L Stainless steel 8mm Ball


Nickel Release Test

Test Method	Surface Area (cm ²)	Volume of Test Solution (mL)	Results (μg/cm ² /week)	Conclusion
EN 1811 : 1998	1.70	5	N.D.	Pass

Tested by : Nikkie Lee, Peter Kim

Notes : Requirement = 0.5 μg/cm²/week
< = Less than
N.D. = Not detected

* View of sample as received;-



This Test Report is issued by the Company subject to its Terms and Conditions of Business printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. This Test Report shall not be reproduced, except in full, without prior written consent of the Company.

Intertek Testing Center

Seoul Office : Tel : 02-2109-1250 Fax : 02-2109-1259 Gumi Office : Tel : 054-462-7647 Fax : 054-462-7657 Web Site : www.Intertek.co.kr
Seoul Lab. : #709, 7Fl, Ace Techno Tower V, 197-22, Guro-3Dong, Guro-Gu, Seoul 152-766 Korea Tel : 02-2109-1260 Fax : 02-2109-1258
Ulsan Lab. : #340-2, Yongam-Ri, Chongryang-Myun, Ulju-Gun, Ulsan 689-865 Korea Tel : 052-257-6754 Fax : 052-276-6792

TEST REPORT

Report No. RT10G-S0005-003-E1-R


Page: 3 of 3

Date: Jan. 25, 2010

Sample ID No. : RT10G-S0005-003

Sample Description : 316L Stainless steel 8mm Ball

Flow Chart (Nickel Release for EN 1811)



***** End of Report *****

This Test Report is issued by the Company subject to its Terms and Conditions of Business printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. This Test Report shall not be reproduced, except in full, without prior written consent of the Company.

Intertek Testing Center